



**BRIDGEPORT**   
by CRESCENT

## MECHANICS' HAND TOOLS

### CATALOG #65

	Page
SCREWDRIVERS	
CUSHION GRIP	2, 3
RHINO	4, 5
800 LINE	6
WOOD	7
PHILLIPS, SCREWHOLDING AND CLUTCH HEAD	8
SPECIALS	9
REVERSIBLE	11
NUTDRIVERS	10
AWL	15
PUTTY KNIVES AND SCRAPERS	15
TROWELS	15
NAIL PULLERS	15
WRENCHES	12
PLIERS	13
ADJUSTABLE WRENCH	12
NAIL SETS	13
SAWS	13
AXES, RIPPING TOOLS	14
BOX OPENING TOOLS	14
HEX KEYS	13


THE BRIDGEPORT HARDWARE MFG. CORP.

Subsidiary of  
CRESCENT NIAGARA CORPORATION



**Bridgeport**

## CUSHION-GRIP



### SUPER COMFORTABLE

Resilient genuine Nitrile rubber grip never hurts the hand — no matter how hard you grip or twist. Non-slip grip.

### TREMENDOUS TURNING POWER

More work, less effort with Cushion Grip.

### UNBREAKABLE HANDLE

Hammerproof • shock-proof • non-flammable.

### UNCONDITIONALLY GUARANTEED

Meets Federal Specification Nos. 5120-988-6491 through 7074.


**BOLSTERED HEAVY DUTY BLADE —  
WINGED SHANK  
CHROME-VANADIUM STEEL  
FULL CHROME PLATED FINISH.**

**PRECISION POINT  
CROSS-GROUND  
FLATS AND EDGES**

### CUSHION GRIP

Interlocked "Tongue & Groove Handle". Two way interlocking of the slotted amber plastic handle and Nitrile rubber sleeve completely and permanently prevents slipping or loosening.

(USA PATENT 2871899)



### MECHANICS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2143-3	3"	7/32"	6 5/16"	6	2 lbs.
2143-4	4"	1/4"	7 3/4"	6	3 lbs.
2143-6	6"	5/16"	10 1/2"	6	5 lbs.
2143-8	8"	3/8"	13"	6	7 lbs.
2143-10	10"	3/8"	15"	6	7 3/4 lbs.
2143-12	12"	3/8"	17"	6	8 3/4 lbs.

### MECHANICS SQUARE


2343-4	4"	1/4"	7 3/4"	6	3 1/4 lbs.
2343-6	6"	5/16"	10 1/2"	6	5 1/2 lbs.
2343-8	8"	3/8"	13"	6	8 lbs.
2343-12	12"	3/8"	17"	6	10 lbs.
Stubby					
2343-11 1/4	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.

### ELECTRICIANS ROUND

2142-4	4"	1/4"	7 3/4"	6	3 lbs.
2142-6	6"	1/4"	9 3/4"	6	4 lbs.
2243-3	3"	3/16"	6 5/16"	6	2 lbs.
2243-4	4"	3/16"	7 5/16"	6	2 lbs.
2243-6	6"	3/16"	9 5/16"	6	2 1/4 lbs.
2243-8	8"	3/16"	11 5/16"	6	2 1/2 lbs.
2243-10	10"	3/16"	13 5/16"	6	3 lbs.

### NEW INSULATED SPECIAL ELECTRICIANS

This special screwdriver is insulated with an extremely resilient plastic, highly resistant to cutting or cracking and with excellent dielectric properties which reduces the danger of shock.



2401-3	3"	3/16"	6 5/16"	6	2 1/4 lbs.
2401-4	4"	1/4"	7 3/4"	6	3 1/4 lbs.
2401-6	6"	5/16"	10 1/2"	6	5 1/4 lbs.
2401-8	8"	3/8"	13"	6	7 1/4 lbs.

Additional Sizes Available To Order.

### GENUINE PHILLIPS

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2501	#1	3"	3/16"	6 5/16"	6	2 lbs.
2502	#2	4"	1/4"	7 3/4"	6	3 lbs.
2503	#3	6"	5/16"	10 1/2"	6	5 lbs.
2504	#4	8"	3/8"	13"	6	6 1/2 lbs.
Stubby						
2522	#2	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.

See Page 8 for complete PHILLIPS listing.

### NUTDRIVERS • COLOR CODED

HOLLOW AND SOLID SHAFT — POLISHED & CHROME PLATED

Hollow Number	Solid Number	Blade Length	Color Code	Wt. Doz.
2600-3/16	490-3/16	3 1/8"	Black	2 1/2 lbs.
2600-7/32	490-7/32	3 1/8"	Brown	2 1/2 lbs.
2600-1/4	490-1/4	3 1/8"	Red	2 1/2 lbs.
2600-9/32	490-9/32	3 1/8"	Orange	2 1/2 lbs.
2600-5/16	490-5/16	3 1/8"	Yellow	2 1/2 lbs.
2600-11/32	490-11/32	3 1/8"	Green	2 1/2 lbs.
2600-3/8	490-3/8	3 3/8"	Blue	3 lbs.
2600-7/16	490-7/16	3 3/8"	Brown	4 1/4 lbs.
2600-1/2	490-1/2	3 3/8"	Red	4 1/4 lbs.
2600-9/16	490-9/16	3 3/8"	Orange	4 1/2 lbs.


Std. Pack 6/box

See Page 10 for NUTDRIVER SETS and complete information.

### CATALOG NO. 2705 SET

De Luxe Assortment

Individually Gift Boxed



Contains 1 each of 2143-4, 2143-6, 2243-6 and 2502-4  
Individually boxed Weight 1 1/2 lbs.





## NO. 2704 ASSORTMENT

The Complete Assortment — every **CUSHION GRIP** screwdriver in a balanced assortment — plus 6 popular sizes of nutdrivers.


Qty.	Catalog Number	Description
2	2142-4	Cabinet Point
2	2142-6	Cabinet Point
2	2143-3	Mechanics Round
4	2143-4	Mechanics Round
2	2143-6	Mechanics Round
2	2143-8	Mechanics Round
1	2143-10	Mechanics Round
1	2143-12	Mechanics Round
2	2243-3	Electricians Round
2	2243-6	Electricians Round
1	2243-8	Electricians Round
1	2243-10	Electricians Round
2	2343-1 1/4	Mechanics Stubby
2	2343-4	Mechanics Square
2	2343-6	Mechanics Square
1	2343-8	Mechanics Square
1	2343-12	Mechanics Square
2	2522	#2 Genuine Phillips
2	2501	#1 Genuine Phillips
1	2502	#2 Genuine Phillips
1	2503	#3 Genuine Phillips
1	2504	#4 Genuine Phillips
2	490-1/4	Nutdriver
2	490-5/16	Nutdriver
1	490-11/32	Nutdriver
2	490-3/8	Nutdriver
1	490-7/16	Nutdriver

**Display Size**  
21" wide  
31 1/2" high  
4 3/4" deep

**Standard Pack**  
37 Screwdrivers  
8 Nutdrivers

**Free Display Board**  
**Shipping Weight 32 Lbs.**

## CUSHION GRIP DISPLAYS



## NO. 2706 ASSORTMENT

**NEW for 1963 — NEW DISPLAY UNIT — NEW ASSORTMENT**

**SUPER-FAST TURNOVER — 14 Fastest selling styles in a 33 piece sales coordinated assortment.** Designed for counter or peg board display.




Qty.	Catalog Number	Description	Qty.	Catalog Number	Description
2	2142-6	Cabinet Point	2	2343-4	Mechanics Square
2	2143-3	Mechanics Round	2	2343-6	Mechanics Square
4	2143-4	Mechanics Round	2	2343-1 1/4	Mechanics Stubby
2	2143-6	Mechanics Round	2	2501	#1 Genuine Phillips
1	2143-8	Mechanics Round	2	2502	#2 Genuine Phillips
2	2243-3	Electricians Round	2	2522	#2 Genuine Phillips
2	2243-6	Electricians Round	6	543-2	Pocket with Clip

## NO. 2703 ASSORTMENT


Complete **CUSHION GRIP** Screwdriver Assortment in a new compact metal display rack. Designed for wall or counter display.

Qty.	Catalog Number	Description	Qty.	Catalog Number	Description
2	2142-4	Cabinet Point	1	2243-10	Electricians Round
2	2142-6	Cabinet Point	2	2243-1 1/4	Stubby
2	2143-3	Mechanics Round	2	2343-4	Mechanics Square
3	2143-4	Mechanics Round	2	2343-6	Mechanics Square
3	2143-6	Mechanics Round	1	2343-8	Mechanics Square
2	2143-8	Mechanics Round	1	2343-12	Mechanics Square
1	2143-10	Mechanics Round	2	2501	#1 Genuine Phillips
1	2143-12	Mechanics Round	2	2502	#2 Genuine Phillips
2	2243-3	Electricians Round	1	2503	#3 Genuine Phillips
2	2243-6	Electricians Round	1	2504	#4 Genuine Phillips
1	2243-8	Electricians Round	2	2522	#2 Stubby Phillips



**Display Size**  
21 1/2" wide  
9" high  
8 1/2" deep

**Standard Pack**  
33 Screwdrivers  
**Free Display Unit**  
**Shipping Weight 12 Lbs.**



**Display Size**  
21 1/2" wide  
9" high  
8 1/2" deep


**Standard Pack**  
38 Screwdrivers  
**Free Display**  
**Shipping Weight 13 Lbs.**

CUSHION GRIP Nutdriver Display Racks on Page 11.





## RHINO



## COMFORTABLE GRIP

Oversize handle plus exclusive comfort design gives extra torque without hurting hand.

## UNBREAKABLE HANDLE

Extruded high strength plastic is non-flammable, hammer-proof and shock-proof.

## CHROME-VANADIUM STEEL BLADES

Full tempered chrome-vanadium alloy steel blades. Overall polish. Blade point flats and edges are accurately ground and gauged for true fit.

## UNCONDITIONALLY GUARANTEED

### MECHANICS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
143-3	3"	7/32"	6 3/16"	6	1 1/2 lbs.
143-4	4"	1/4"	7 1/2"	6	2 1/2 lbs.
143-5	5"	5/16"	9 1/4"	6	4 1/2 lbs.
143-6	6"	5/16"	10 1/4"	6	5 lbs.
143-8	8"	3/8"	13"	6	7 lbs.
143-10	10"	3/8"	15 1/2"	6	8 lbs.
143-12	12"	3/8"	17 1/2"	6	9 1/2 lbs.
Pocket with Clip					
543-2	2"	1/8"	3 15/16"	12	1/2 lb.

### MECHANICS SQUARE

343-4	4"	1/4"	7 3/4"	6	3 lbs.
343-6	6"	5/16"	10 1/4"	6	5 1/4 lbs.
343-8	8"	3/8"	13"	6	6 lbs.
343-12	12"	3/8"	17 1/2"	6	10 1/2 lbs.
Stubby					
443-1 1/4	1 1/4"	1/4"	3 1/8"	6	1 1/4 lbs.

### ELECTRICIANS ROUND

243-3	3"	3/16"	6 3/16"	6	1 1/4 lbs.
243-4	4"	3/16"	7 1/2"	6	2 lbs.
243-6	6"	3/16"	9 1/2"	6	2 1/4 lbs.
243-8	8"	3/16"	11 1/2"	6	2 1/2 lbs.
243-10	10"	3/16"	13 1/2"	6	3 lbs.

### GENUINE PHILLIPS

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
300	#0	3"	1/8"	4 7/16"	6	1/2 lbs.
301	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
302	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.
303	#3	6"	5/16"	10 1/4"	6	5 lbs.
304	#4	8"	3/8"	13"	6	6 lbs.
331	#1	8"	3/16"	11 1/2"	6	2 lbs.
332	#2	6"	1/4"	9 1/2"	6	2 3/4 lbs.
Stubby						
311	#1	1"	3/16"	2 11/16"	6	1 lb.
322	#2	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.

See complete listing of PHILLIPS Screwdrivers on Page 8.

### ELECTRONIC THIN BLADES

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
244-4	4"	9/64"	6 3/4"	6	1/2 lb.
244-6	6"	9/64"	8 3/4"	6	1/2 lb.
244-8	8"	9/64"	10 3/4"	6	3/4 lb.

### SCREWHOLDING MECHANICS POINT

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
247-2	2"	1/8"	3 15/16"	6	1/2 lb.
247-3	3"	1/8"	5 3/4"	6	3/4 lb.
247-4	4"	1/8"	6 3/4"	6	7/8 lb.
247-6	6"	1/8"	9 3/16"	6	1 1/4 lbs.
247-8	8"	1/8"	11 3/16"	6	1 1/2 lbs.
248-2	2"	3/16"	3 7/8"	6	1 1/4 lbs.
248-4	4"	3/16"	7 1/2"	6	1 3/4 lbs.
248-7	7"	3/16"	10 1/2"	6	2 1/2 lbs.
249-8	8"	9/32"	12 1/4"	6	3 lbs.

See Page 5 for Display.

### SCREWHOLDING PHILLIPS POINT

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
261-3	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
262-4	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.

See complete listing of PHILLIPS Screwdrivers on Page 8.

### CLUTCH HEAD TYPE 'G'

Catalog Number	Clutch Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
401	5/32"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
402	3/16"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
403	1/4"	6"	5/16"	9 3/4"	6	4 1/2 lbs.
404	5/16"	6"	3/8"	9 3/4"	6	5 1/2 lbs.

See Page 8 for complete listing of all Clutch Head and PHILLIPS POINTS

### NUTDRIVERS • COLOR CODED

HOLLOW AND SOLID SHAFT — POLISHED & CHROME PLATED

Hollow Number	Solid Number	Blade Length	Color Code	Wt. Doz.
600-3/16	478-3/16	3 1/8"	Black	2 lbs.
600-7/32	478-7/32	3 1/8"	Brown	2 lbs.
600-1/4	478-1/4	3 1/8"	Red	2 lbs.
600-9/32	478-9/32	3 1/8"	Orange	2 lbs.
600-5/16	478-5/16	3 1/8"	Yellow	2 lbs.
600-11/32	478-11/32	3 1/8"	Green	2 lbs.
600-3/8	478-3/8	3 3/8"	Blue	3 3/4 lbs.
600-7/16	478-7/16	3 3/8"	Brown	4 lbs.
600-1/2	478-1/2	3 3/8"	Red	4 lbs.
600-9/16	478-9/16	3 3/8"	Orange	4 1/2 lbs.

Std. Pack 6/box.

See Page 10 for NUTDRIVER SETS and details of all NUT-DRIVERS.










# NEW 800 LINE




**EXCLUSIVE "see-thru" PACKAGE**  
BRIDGEPORT'S unique FULL-VIEW point-of-purchase bright, colorful 800 SERIES Display Card with Eye-appeal — sales appeal Pilfer proof. Full sales message printed both sides. High profit • fast turnover • 10 popular sizes • all styles.


*Exposed blade allows customer to judge the quality.*

## CARDED

Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
801C-4	4 x 1/4	Mechanics Round	10	2 1/2 lbs.
801C-6	6 x 5/16	Mechanics Round	10	4 lbs.
<b>Stubby</b>				
801C-1 1/4	1 1/4 x 1/4	Mechanics Round	10	1 1/2 lbs.
802C-3	3 x 3/16	Electricians Round	10	1 1/2 lbs.
802C-6	6 x 3/16	Electricians Round	10	2 lbs.
803C-4	4 x 1/4	Mechanics Square	10	3 lbs.
831C-3	#1 pt.	Genuine Phillips	10	1 1/2 lbs.
832C-4	#2 pt.	Genuine Phillips	10	2 1/2 lbs.
<b>Stubby</b>				
832C-1 1/4	#2 pt.	Genuine Phillips	10	1 1/2 lbs.
805C-2	2 x 1/8	Pocket with Clip	10	1/2 lb.
899 Display	4 each of 6 most popular sizes. Free peg board display hooks. 801C-4, 801C-6, 802C-3, 802C-6, 831C-3, 832C-4.		1	8 lbs.




## VINYL-GRIP CARDED



Top quality Vinyl-Grip patented shock-proof handle with high torque blister-proof grip. Tool steel blade with precision ground point. Attractively carded for easy sale.


Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
557	3 x 3/16	Electricians Round	10	2 lbs.
558	6 x 3/16	Electricians Round	10	2 1/2 lbs.
559	4 x 1/4	Mechanics Round	10	3 lbs.
560	6 x 1/4	Mechanics Round	10	3 1/2 lbs.
561	#1 pt.	Genuine Phillips	10	2 lbs.
562	#2 pt.	Genuine Phillips	10	3 lbs.




**FEATURES FULL SIZED HANDLE** of clear, unbreakable, hammer - proof, non - flammable plastic. Precision ground points — tool steel plated blade.

## BULK STOCK

Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
801-4	4 x 1/4	Mechanics Round	6	1 1/4 lbs.
801-6	6 x 5/16	Mechanics Round	6	2 lbs.
801-8	8 x 3/8	Mechanics Round	6	3 1/4 lbs.
<b>Stubby</b>				
801-1 1/4	1 1/4 x 1/4	Mechanics Round	6	3/4 lb.
802-3	3 x 3/16	Electricians Round	6	3/4 lb.
802-6	6 x 3/16	Electricians Round	6	1 lbs.
802-8	8 x 3/16	Electricians Round	6	1 1/2 lbs.
803-4	4 x 1/4	Mechanics Square	6	1 1/2 lbs.
803-6	6 x 5/16	Mechanics Square	6	2 1/4 lbs.
803-8	8 x 5/16	Mechanics Square	6	3 lbs.
831-3	#1 pt.	Genuine Phillips	6	3/4 lb.
832-4	#2 pt.	Genuine Phillips	6	1 1/4 lbs.
833-6	#3 pt.	Genuine Phillips	6	2 1/4 lbs.
<b>Stubby</b>				
832-1 1/4	#2 pt.	Genuine Phillips	6	3/4 lb.
805-2	2 x 1/8	Pocket with Clip	6	1/4 lb.
850	Display. 3 each of above in heavy duty colorful display rack.		1	11 lbs.



## LEADER



Economy line • patented handle • Plated carbon blade

Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
2011	#1 pt.	Cross Point	12	2 lbs.
2012	#2 pt.	Cross Point	12	3 lbs.
2014	3 x 3/16	Electricians Round	12	2 lbs.
2016	6 x 3/16	Electricians Round	12	2 1/2 lbs.
2024	4 x 1/4	Mechanics Round	12	3 lbs.
2026	6 x 1/4	Mechanics Round	12	3 1/2 lbs.

Furnished in free self selling counter display.

Contact your Bridgeport man for details.



**MATCHLESS** — The top quality wood handle line. Blades are full tempered and ferrules are polished. Hardwood handles have black baked enamel finish. Unconditionally guaranteed.

**4000 LINE** — Fine quality wood handle line. Most complete line available. Carbon steel blades are plated and polished. Special hardwood, walnut stained handles. Unconditionally guaranteed.

## MATCHLESS



**NOS. 92 & 98**



### MECHANICS ROUND

**BOLSTER BLADE WITH INSULATING RING**

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
92-3	3"	7/32"	7 1/2"	6	1 3/4 lbs.
92-4	4"	1/4"	7"	6	2 1/2 lbs.
92-6	6"	5/16"	12"	6	4 lbs.
92-8	8"	3/8"	14 1/2"	6	6 3/4 lbs.
92-12	12"	3/8"	18 1/2"	6	8 1/4 lbs.

Federal Spec. GGG-S-121D type 1, class 5, design B, shape A, style 2.



### ELECTRICIANS ROUND

**BOLSTER BLADE WITH INSULATING RING**

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
98-3	3"	3/16"	7 1/2"	6	1 1/2 lbs.
98-6	6"	3/16"	10 1/2"	6	2 lbs.
98-8	8"	3/16"	12 1/2"	6	2 1/4 lbs.
98-10	10"	3/16"	14 1/2"	6	2 1/2 lbs.

Federal Spec. GGG-S-121D type 1, class 2, design B style 2.



**NO. 94**



### MECHANICS ROUND

**BLADE EXTENDS THROUGH HANDLE AND IS RIVETED**

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
94-1 1/2	1 1/2"	3/16"	4"	6	1 lb.
94-3	3"	7/32"	7 1/2"	6	2 1/4 lbs.
94-4	4"	1/4"	9"	6	3 lbs.
94-6	6"	5/16"	12"	6	5 1/4 lbs.
94-8	8"	3/8"	14 1/2"	6	8 lbs.
94-10	10"	3/8"	16 1/2"	6	9 lbs.
94-12	12"	3/8"	18 1/2"	6	9 1/2 lbs.

Federal Spec. GGG-S-121D type 1, class 4, shape A, style 1.



**NOS. 97 & 970**



### HEAVY MACHINIST TYPE — SQUARE SHANK

**BLADE EXTENDS THROUGH HANDLE AND IS RIVETED**

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
97-3 1/2	3 1/2"	3/8" sq.	8"	6	6 lbs.
Stubby					
970-1 3/4	1 3/4"	5/16" rd.	5 1/2"	6	4 lbs.



**NO. 9**



### MASTER MECHANICS LINE

**BLADE EXTENDS THROUGH HANDLE AND IS RIVETED**

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
9-3	3"	7/32"	7 1/2"	12	2 lbs.
9-4	4"	1/4"	9"	12	2 3/4 lbs.
9-6	6"	5/16"	12"	12	4 3/4 lbs.
9-8	8"	3/8"	14 1/2"	12	7 1/2 lbs.

## 4000 LINE



**NO. 4001**



### MECHANICS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4001-3	3"	7/32"	7 1/2"	12	1 1/2 lbs.
4001-4	4"	1/4"	9"	12	2 1/2 lbs.
4001-6	6"	5/16"	12 1/4"	12	4 lbs.
4001-8	8"	3/8"	14 1/2"	12	6 3/4 lbs.
4001-10	10"	3/8"	16 1/2"	6	7 1/2 lbs.
Stubby					
4001-1 1/4	1 1/4"	1/4"	3 3/4"	12	3/4 lb.

Federal Spec. GGG-S-121D type 1, class 5, design A, shape A, style 2.



### ELECTRICIANS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4002-3	3"	3/16"	7 1/2"	12	1 1/2 lbs.
4002-6	6"	3/16"	10 1/2"	12	2 lbs.
4002-8	8"	3/16"	12 1/2"	12	2 1/4 lbs.

### MECHANICS SQUARE

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4003-4	4"	1/4"	9"	12	3 lbs.
4003-6	6"	5/16"	12"	12	4 1/2 lbs.
4003-8	8"	5/16"	14 1/2"	12	7 1/4 lbs.

Special matte finish used on these plated blades.



### PHILLIPS

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4351	#1	3"	3/16"	7 1/2"	12	1 lb.
4352	#2	4"	1/4"	9"	12	2 lbs.
4353	#3	6"	5/16"	11 1/2"	12	3 3/4 lbs.
4354	#4	8"	3/8"	14 1/2"	6	6 1/2 lbs.
Stubby						
4422	#2	1 1/4"	1/4"	3 3/4"	12	1 1/4 lbs.

Federal Spec. plated finish only on these blades.



### NUTDRIVERS

Cat. No.	Hex. Size	OA Length	Wt. Doz.	Cat. No.	Hex. Size	OA Length	Wt. Doz.
4470-3/16	3/16"	6 5/8"	1 3/4 lbs.	4470-11/32	11/32"	6 5/8"	1 3/4 lbs.
4470-7/32	7/32"	6 5/8"	1 3/4 lbs.	4470-3/8	3/8"	7 1/8"	3 1/2 lbs.
4470-1/4	1/4"	6 5/8"	1 3/4 lbs.	4470-7/16	7/16"	7 1/8"	3 1/2 lbs.
4470-9/32	9/32"	6 5/8"	1 3/4 lbs.	4470-1/2	1/2"	7 1/8"	3 1/2 lbs.
4470-5/16	5/16"	6 5/8"	1 3/4 lbs.	4470-9/16	9/16"	7 1/8"	3 1/2 lbs.

Std. Pack 12/box

Blade shanks are matte finish—socket heads polished—overall nickel plate.

See page 9 for NUTDRIVER SETS and complete information.

## GOOD QUALITY — LOW PRICED

### OPEN STOCK

Catalog No.	Wt./Doz.
467-3	1 1/4 lbs.
467-4	2 1/4 lbs.
467-6	3 lbs.

Packed 12/box



**NO. 466**

8 each 467-3", 4" & 6" Mechanics Screwdrivers.

Wt. per Asst. — 4 1/2 lbs. 24 Screwdrivers per Assortment




# **SCREW HOLDING**

EXTRA WIDE GRIP WITH SPRING LOADED JAWS

## **PHILLIPS**

**CUSHION GRIP**



POLISHED • CHROME PLATED • CHROME-VANADIUM  
STEEL BLADES

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2501	#1	3"	3/16"	6 5/16"	6	2 lbs.
2502	#2	4"	1/4"	7 3/4"	6	3 lbs.
2503	#3	6"	5/16"	10 1/2"	6	5 lbs.
2504	#4	8"	3/8"	13"	6	6 1/2 lbs.
Stubby 2522	#2	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.


## **RHINO**



POLISHED • LACQUERED • CHROME-VANADIUM STEEL BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
300	#0	3"	1/8"	6"	6	1/2 lb.
301	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
302	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.
303	#3	6"	5/16"	10 1/4"	6	5 lbs.
304	#4	8"	3/8"	13"	6	6 lbs.
331	#1	8"	3/16"	11 1/2"	6	2 lbs.
332	#2	6"	1/4"	9 1/2"	6	2 3/4 lbs.
Stubby 311	#1	1"	3/16"	2 11/16"	6	1 lb.
322	#2	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.

## **800 LINE\***



POLISHED • PLATED • CARBON STEEL BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
831-3	#1	3"	3/16"	6"	6	1 lb.
832-4	#2	4"	1/4"	7"	6	1 1/2 lbs.
833-6	#3	6"	5/16"	10"	6	5 lbs.
Stubby 832-1 1/4	#2	1 1/4"	1/4"	3 1/8"	6	1 lb.

\*Now available on colorful skin-packed cards—see Page 6.  
Federal Spec. GGG-S-121D type 6, class 1, style 1.

## **4000 LINE**




PLATED CARBON STEEL BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4351	#1	3"	3/16"	7 1/2"	12	1 lb.
4352	#2	4"	1/4"	9"	12	2 lbs.
4353	#3	6"	5/16"	11 1/2"	12	3 1/4 lbs.
4354	#4	8"	3/8"	14 1/2"	6	6 1/2 lbs.
Stubby 4422	#2	1 1/4"	1/4"	3 3/4"	12	1 1/4 lbs.

Federal Spec. GGG-S-121D type 6, class 1, style 2.

## **TYPE 'G' CLUTCH HEAD**



POLISHED • ALLOY STEEL BLADE • PLASTIC HANDLE

Catalog Number	Clutch Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
401	5/16"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
402	3/16"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
403	1/4"	6"	5/16"	9 3/4"	6	4 1/2 lbs.
404	5/16"	6"	3/8"	9 3/4"	6	5 lbs.

Polished and Lacquered Alloy Steel Blades.

## **CUSHION GRIP**

PATENTED HANDLE • SUPER COMFORTABLE • PLATED  
CHROME-VANADIUM BLADE



**SCREW HOLDING**  
MECHANICS POINT

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2247-4	4"	1/8"	7 5/16"	6	1 3/4 lbs.
2247-6	6"	1/8"	9 5/16"	6	2 3/4 lbs.
2248-4	4"	3/16"	7 3/4"	6	2 1/2 lbs.
2248-7	7"	3/16"	10 3/4"	6	3 lbs.




**SCREW HOLDING**  
PHILLIPS POINT

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2261	#1	3"	3/16"	6 5/16"	6	1 3/4 lbs.
2262	#2	4"	1/4"	7 3/4"	6	2 3/4 lbs.




## **SUREGRIP**

AMBER HANDLE • PLATED CHROME-VANADIUM BLADE



MECHANICS POINT • AMBER HANDLE • PLATED  
CHROME-VANADIUM BLADE

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
247-2	2"	1/8"	3 15/16"	6	1/2 lb.
247-3	3"	1/8"	5 3/4"	6	3/4 lb.
247-4	4"	1/8"	6 3/4"	6	7/8 lb.
247-6	6"	1/8"	9 3/16"	6	1 1/4 lbs.
247-8	8"	1/8"	11 3/16"	6	1 1/2 lbs.
248-2	2"	3/16"	3 3/8"	6	1 1/4 lbs.
248-4	4"	3/16"	7 1/2"	6	1 3/4 lbs.
248-7	7"	3/16"	10 1/2"	6	2 1/2 lbs.
249-8	8"	9/32"	12 1/4"	6	3 lbs.



## **PHILLIPS POINT**

AMBER HANDLE • PLATED CHROME-VANADIUM BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
261-3	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
262-4	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.

See Page 5 for New **SCREW HOLDING** Display Rack.

## **No. 247-A Display**

Contains:

- 3 No. 247-2"
- 4 No. 247-3"
- 2 No. 247-4"
- 2 No. 247-6"
- 1 No. 247-8"

Wgt. 1 1/4 lbs.  
Std. Pack 1/box.



## **No. 306 Phillips Display Rack**

6 No. 300 #0 pt. Phillips  
Wgt. 1/2 lb.  
Std. Pack 1/box.



**OFFSETS**




**NEW P-O-P DISPLAY CARDS**

New Point - Of - Purchase self selling package. Features screw size coding for quick and easy selection.

Most popular Mechanics and genuine Phillips points — precision ground — chromate plated.

No. 112C 10/box Wt./box 1¼ lb.  
No. 137C 10/box Wt./box 1¼ lb.  
No. 138C 10/box Wt./box 1 lb.




**NO. 138, 139, 141**

Double End Mechanics Offset.

Chromate Plated — Knurled non-skid shank.

Federal Spec. GGG-S-121D type 4, class 1.

138 4½" x ¼" Mechanics Point Wt./doz. 1 lb.  
139 5" x ⅝" Mechanics Point Wt./doz. 1½ lbs.  
141 6" x ¾" Mechanics Point Wt./doz. 2½ lbs.  
Std. Pack—12/box




**NO. 112 & 113**

Genuine Phillips Point Offset.

Chromate Plated — Knurled non-skid shank.

Federal Spec. GGG-S-1210 type 4, class 3, style 1.

112 5" x ¼" #1 & #2 Phillips Wt./doz. 1¼ lbs.  
113 6¼" x ⅜" #3 & #4 Phillips Wt./doz. 3 lbs.  
Std. Pack—12/box



**NO. 137**

Combination Phillips and Mechanics Offset.  
Chromate Plated — Knurled non-skid shank.

137 5" x ¼" #2 Phillips & Mechanics Wt./doz. 1¼ lbs.  
Std. Pack—12/box

**SPARK PLUG TESTING**



**NO. 12**

Pocket size auto mechanics tool.

Federal Spec. GGG-S-121D & Amend. 2, type 7.

Blade 2" x ⅝" Wt./doz. ¾ lb. Std. Pack—12/box

**INSULATED**



**NO. 4-W**

Tempered Steel Blade is covered with Shock-Proof Insulation, molded to Vulcanized Rubber handle.

Blade 5" x ⅜" Wt./doz. 2¼ lbs. Std. Pack—12/box

**NO. 340**

**INSTRUMENT SCREWDRIVER P-O-P DISPLAY**

Point-Of-Purchase self-selling display builds impulse sales.  
12 of Number 344 Screwdrivers on a card.

Std. Pack 1 card/box

Wt./card ¼ lb



**NO. 344**

Precision made small blade screwdriver.  
Blade dimensions accurately controlled.


Blade 1½" x ⅜"

Tip .058" x .010"

Plated Finish

Std. Pack—12 screwdrivers/envelope

Wt./doz. ¼ lb.



**NO. 34-2**

**POCKET CLIP SCREWDRIVER P-O-P DISPLAY**

A popular impulse-sale screwdriver. Point-Of-Purchase Display perfect for cash register or check-out counter display.  
12 of Number 34-A Screwdrivers on a card.

Std. Pack—1 card/box

Wt./card ¼ lb.




**NO. 34-A**

Open stock of this popular screwdriver available.  
Plated blade measures 2" x 1/8".

Std. Pack—12/box

Wt./doz. ½ lb.



**NO. 7 SET**

**7 PC. MECHANICS SCREWDRIVER SET**

Square Hardwood Handles. Will not roll. Plated Blades

**GENUINE PHILLIPS**

Contains 8" x ⅝", 8" x ¼", 6" x ⅜", 4" x ⅜", & 2" x ⅜" Square Blade & Genuine #1 and #2 PHILLIPS. Sets individually boxed.

Std. Pack—12 sets/carton

Wt./carton 18 lbs.





## FORGED and HOLLOW SHAFT NUTDRIVERS

UNCONDITIONALLY GUARANTEED

### CUSHION GRIP

The finest nutdriver available. NOW COLOR CODED. High-torque comfort-grip handle gives 50% greater turning power, it's hammer-proof, shockproof and non-flammable. Available in either forged deep drilled solid shaft or hollow shaft type. Full polish and chrome plated.

#### COLOR CODE




Hollow Number	Solid Number	Blade Length	Color Code	Wt. Doz.
2600-3/16	490-3/16	3 1/8"	Black	2 1/2 lbs.
2600-7/32	490-7/32	3 1/8"	Brown	2 1/2 lbs.
2600-1/4	490-1/4	3 1/8"	Red	2 1/2 lbs.
2600-9/32	490-9/32	3 1/8"	Orange	2 1/2 lbs.
2600-5/16	490-5/16	3 1/8"	Yellow	2 1/2 lbs.
2600-11/32	490-11/32	3 1/8"	Green	2 1/2 lbs.
2600-3/8	490-3/8	3 3/8"	Blue	3 lbs.
2600-7/16	490-7/16	3 3/8"	Brown	4 1/4 lbs.
2600-1/2	490-1/2	3 3/8"	Red	4 1/4 lbs.
2600-9/16	490-9/16	3 3/8"	Orange	4 1/2 lbs.

Insulated Cushion Grip furnished on request. Std. Pack 6/box

### TENITE HANDLE

COLOR CODED. Oversized amber handle gives extra torque, is hammerproof, shockproof and non-flammable. Available in either forged deep drilled solid shaft or hollow shaft type. Full polish and chrome plated.

#### COLOR CODE



600-3/16	478-3/16	3 1/8"	Black	2 lbs.
600-7/32	478-7/32	3 1/8"	Brown	2 lbs.
600-1/4	478-1/4	3 1/8"	Red	2 lbs.
600-9/32	478-9/32	3 1/8"	Orange	2 lbs.
600-5/16	478-5/16	3 1/8"	Yellow	2 lbs.
600-11/32	478-11/32	3 1/8"	Green	2 lbs.
600-3/8	478-3/8	3 3/8"	Blue	3 3/4 lbs.
600-7/16	478-7/16	3 3/8"	Brown	4 lbs.
600-1/2	478-1/2	3 3/8"	Red	4 lbs.
600-9/16	478-9/16	3 3/8"	Orange	4 1/2 lbs.

Std. Pack 6/box

### 4470 HARDWOOD HANDLE

A very serviceable mechanics tool for those who prefer hard wood handles. One piece forged steel blade is deep drilled and plated to prevent rust.



Hex. Size	Blade Length	Wt. Doz.	Hex. Size	Blade Length	Wt. Doz.
4470-3/16	3 1/8"	1 3/4 lbs.	4470-11/32	3 1/8"	1 3/4 lbs.
4470-7/32	3 1/8"	1 3/4 lbs.	4470-3/8	3 3/8"	3 1/2 lbs.
4470-1/4	3 1/8"	1 3/4 lbs.	4470-7/16	3 3/8"	3 3/4 lbs.
4470-9/32	3 1/8"	1 3/4 lbs.	4470-1/2	3 3/8"	3 3/4 lbs.
4470-5/16	3 1/8"	1 3/4 lbs.	4470-9/16	3 3/8"	4 1/4 lbs.

Std. Pack 6/box



**POUCHED SETS** in attractive snap fit plastic—contains one each of the seven most popular sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".

Std. Pkg. 3 pouched sets/box

No. 497P Cushion Grip Set—Color Coded

No. 2607P Cushion Grip Hollow Shaft Set—Color Coded

No. 487P Amber Handle Set—Color Coded

No. 607P Amber Handle Hollow Shaft Set—Color Coded

No. 477P Hardwood Handle Set



**DISPLAY BOX SETS** as illustrated.

Contains one each of seven most popular sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".

Std. Pkg. 1 set/box


No. 497 Cushion Grip Set—Color Coded

No. 2607P Cushion Grip Hollow Shaft Set

No. 487 Amber Handle Set—Color Coded

No. 607P Amber Handle Hollow Shaft Set

No. 477 Hardwood Handle Set



**DISPLAY RACKS**—attractively designed, heavy-duty racks will control stock and build impulse sales.

All Racks contain 3 each of 7 most popular Nutdriver sizes (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".)

Display Size: 11" wide, 8" deep

Standard Pack: 1 — Contains 21 Nutdrivers & FREE Display Unit


No. 2601 Hollow Shaft Cushion Grip Nutdriver Rack

No. 491 Solid Shaft Cushion Grip Nutdriver Rack


No. 601 Hollow Shaft Amber Handle Nutdriver Rack

No. 492 Solid Shaft Amber Handle Nutdriver Rack






No. 2700-4 Kit



CUSHION GRIP HANDLE  
No. 2750



No. R700-2R



"RHINO" HANDLE  
No. R750

For the workman who uses several sizes of screwdrivers and wants compactness.

Blades snap in and out of handles readily, yet are held securely in place during use by a special spring lock.

Blades of chrome-vanadium steel, accurately machined and electronically hardened. Nickel chrome plated.

Metal hex sections in handles are accurately made and can be used as a  $\frac{3}{8}$ " Nutdriver.



NO. RH1187— $\frac{3}{16}$ " CABINET & NO. 1 PHILLIPS



NO. RH2250— $\frac{1}{4}$ " COMMON & NO. 2 PHILLIPS



SH1187—STUBBY— $\frac{3}{16}$ " CABINET & NO. 1 PHILLIPS



SH2250—STUBBY— $\frac{1}{4}$ " COMMON & NO. 2 PHILLIPS

## SETS AVAILABLE:

No. 2700-4: (Illustrated) includes one each No. 2750 Cushion Grip handle, RH1187, RH2250, SH1187, SH2250 blades in plastic roll.

Wt. 24 oz. Packed 3 in a box

No. 2700-2S: includes one each No. 2750 Cushion Grip handle SH1187 and SH2250 stubby blades. Plastic roll.

Wt. 12 oz. Packed 3 in a box

No. 2700-2R: includes one each No. 2750 Cushion Grip handle, RH1187 and RH2250 standard length blades.

Wt. 15 oz. Packed 3 in a box

No. R700-4: Same as 2700-4 except with No. R750 "Rhino" handle.

Wt. 22.5 oz. Packed 3 in a box

No. R700-2S: Same as 2700-2S except with R750 "Rhino" handle.

Wt. 12 oz. Packed 3 in a box

No. R700-2R: Same as 2700-2R except with R750 "Rhino" handle.

Wt. 15 oz. Packed 3 in a box.


## OPEN STOCK

Catalog Number	Item	Std. Pack	Pkg. Wt.
R750	Rhino Handle	6	12 oz.
2750	Cushion Grip Handle	6	13.5 oz.
RH1187	#1 Phillips x $\frac{3}{16}$ " Cabinet Blade	6	7 oz.
RH2250	#2 Phillips x $\frac{1}{4}$ " Regular Blade	6	9.5 oz.
SH1187	#1 Phillips x $\frac{3}{16}$ " Cabinet Stubby Blade	6	5 oz.
SH2250	#2 Phillips x $\frac{1}{4}$ " Regular Stubby Blade	6	6.5 oz.
R750-1187R	R750 Handle and RH1187 Blade	6	19 oz.
R750-2250R	R750 Handle and RH2250 Blade	6	22 oz.
R750-1187S	R750 Handle and SH1187 Blade	6	17 oz.
R750-2250S	R750 Handle and SH2250 Blade	6	19 oz.
2750-1187R	2750 Handle and RH1187 Blade	6	21 oz.
2750-2250R	2750 Handle and RH2250 Blade	6	23 oz.
2750-1187S	2750 Handle and SH1187 Blade	6	19 oz.
2750-2250S	2750 Handle and SH2250 Blade	6	20 oz.






## WRENCHES



Popular open end wrench sizes packed in handy clip sets. Priced for volume sales. Now packed 3 sets per box.

Catalog Number	Description	Std. Pack	Wt. Set
<b>Plated Finish in Screw Clip</b>			
15N	$\frac{5}{16}$ " to $\frac{3}{4}$ "—5 pc. set	3 sets/box	$\frac{7}{8}$ lb.
25N	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	3 sets/box	1 $\frac{1}{2}$ lbs.
<b>Plated Finish in Enameled Steel Screw Clip</b>			
52N	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	3 sets/box	1 $\frac{3}{4}$ lbs.
53N	$\frac{3}{8}$ " to 1"—6 pc. set	3 sets/box	2 $\frac{1}{4}$ lbs.
<b>Blued Finish in Screw Clip</b>			
15	$\frac{5}{16}$ " to $\frac{3}{4}$ "—5 pc. set	1	$\frac{7}{8}$ lb.
25	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	1	1 $\frac{1}{2}$ lbs.
Each set individually paper wrapped.			
<b>Blued Finish in Enameled Steel Screw Clip</b>			
52	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	1	1 $\frac{3}{4}$ lbs.
53	$\frac{3}{8}$ " to 1"—6 pc. set	1	2 $\frac{1}{4}$ lbs.
Each set individually paper wrapped.			


### COMBINATION — OPEN END — BOX HEAD



Popular selling sizes in all weather plastic pouch or in plated steel screw clip. Long lasting satin chromate finish.

Cat. No.	Sizes	Description	Std. Pack	Wt. Set
<b>Durable All Weather Plastic Pouches</b>				
604P	$\frac{3}{8}$ "— $\frac{1}{2}$ "— $\frac{9}{16}$ "— $\frac{5}{8}$ "	4 pc. set	6 sets/box	$\frac{1}{2}$ lb.
615P	$\frac{7}{16}$ "— $\frac{1}{2}$ "— $\frac{9}{16}$ "— $\frac{5}{8}$ "— $\frac{3}{4}$ "	5 pc. set	6 sets/box	$\frac{3}{4}$ lb.
606P	$\frac{7}{16}$ "— $\frac{1}{2}$ "— $\frac{9}{16}$ "— $\frac{5}{8}$ "— $\frac{11}{16}$ "— $\frac{3}{4}$ "	6 pc. set	6 sets/box	1 lb.
<b>Plated Screw Type Clips</b>				
604C	$\frac{3}{8}$ "— $\frac{1}{2}$ "— $\frac{9}{16}$ "— $\frac{5}{8}$ "	4 pc. set	3 sets/box	$\frac{1}{2}$ lb.
615C	$\frac{7}{16}$ "— $\frac{1}{2}$ "— $\frac{9}{16}$ "— $\frac{5}{8}$ "— $\frac{3}{4}$ "	5 pc. set	3 sets/box	$\frac{3}{4}$ lb.
606C	$\frac{7}{16}$ "— $\frac{1}{2}$ "— $\frac{9}{16}$ "— $\frac{5}{8}$ "— $\frac{11}{16}$ "— $\frac{3}{4}$ "	6 pc. set	3 sets/box	1 lb.

### HY-BAR (OFFSET) — OPEN END



Popular sizes packaged for volume sales in pouches and screw clips.

Cat. No.	Sizes	Description	Std. Pack	Wt. Set
<b>Plated Finish—Durable All Weather Plastic Pouch</b>				
590	$\frac{3}{16}$ " to $\frac{3}{4}$ "	5 pc. set	6 sets/box	$\frac{3}{4}$ lb.
<b>Plated Finish—Plated Screw Clip</b>				
59N	$\frac{5}{16}$ " to $\frac{3}{4}$ "	5 pc. set	3 sets/box	1 $\frac{1}{8}$ lbs.
69N	$\frac{5}{16}$ " to $\frac{7}{8}$ "	6 pc. set	3 sets/box	1 $\frac{1}{2}$ lbs.
<b>Blued Finish—Plated Screw Clip</b>				
59	$\frac{5}{16}$ " to $\frac{3}{4}$ "	5 pc. set	1 (paper wrapped)	1 $\frac{1}{8}$ lbs.
69	$\frac{5}{16}$ " to $\frac{7}{8}$ "	6 pc. set	1 (paper wrapped)	1 $\frac{1}{2}$ lbs.

## OPEN STOCK

### DROP FORGED TEMPERED STEEL MODERN 15° DESIGN

Each wrench hot drop forged from special analysis steel rod. Wrench heads at 15° angle for ease of use. Openings carefully milled for accurate fit. Wrench ends clearly marked with size of opening. Plated wrenches have long lasting satin chromate finish.

Catalog Number		Size	Std. Pack	Wt. Doz.
Plated Finish	Blued Finish			
215	214	$\frac{5}{16}$ " x $\frac{13}{32}$ "	12	$\frac{3}{4}$ lb.
7235	7234	$\frac{3}{8}$ " x $\frac{7}{16}$ "	12	1 $\frac{1}{4}$ lbs.
725B5	725B4	$\frac{1}{2}$ " x $\frac{9}{16}$ "	12	2 lbs.
275	274	$\frac{19}{32}$ " x $\frac{11}{16}$ "	12	3 lbs.
7295	7294	$\frac{5}{8}$ " x $\frac{3}{4}$ "	12	4 $\frac{3}{4}$ lbs.
315	314	$\frac{15}{32}$ " x $\frac{7}{8}$ "	12	7 $\frac{1}{2}$ lbs.
33C5	33C4	$\frac{15}{16}$ " x 1"	12	10 lbs.

### DROP FORGED TEMPERED STEEL — DURABLE SATIN CHROMATE FINISH

Double efficiency with open end and box head style openings on the same wrench. A 12 point box head and a 15° angle open end. Slim design. All openings accurately broached or milled with sizes clearly marked.


Catalog Number	Size	Std. Pack	Wt. Doz.
612	$\frac{3}{8}$ "	12	$\frac{3}{4}$ lb.
614	$\frac{7}{16}$ "	12	$\frac{7}{8}$ lb.
616	$\frac{1}{2}$ "	12	1 $\frac{1}{8}$ lbs.
618	$\frac{9}{16}$ "	12	1 $\frac{5}{8}$ lbs.
620	$\frac{5}{8}$ "	12	2 $\frac{3}{8}$ lbs.
622	$\frac{11}{16}$ "	12	3 $\frac{1}{8}$ lbs.
624	$\frac{3}{4}$ "	12	4 lbs.

### DROP FORGED TEMPERED STEEL — DURABLE SATIN CHROMATE FINISH

All openings are accurately milled and sizes are clearly marked. Offset pattern saves knuckles.

Catalog Number		Size	Std. Pack	Wt. Doz.
Plated Finish	Blued Finish			
21HB5	21HB	$\frac{5}{16}$ " x $\frac{13}{32}$ "	12	$\frac{3}{4}$ lb.
723HB5	723HB	$\frac{3}{8}$ " x $\frac{7}{16}$ "	12	1 $\frac{1}{4}$ lbs.
725BHB5	725BHB	$\frac{1}{2}$ " x $\frac{9}{16}$ "	12	2 lbs.
27HB5	27HB	$\frac{19}{32}$ " x $\frac{11}{16}$ "	12	3 lbs.
729HB5	729HB	$\frac{5}{8}$ " x $\frac{3}{4}$ "	12	4 $\frac{3}{4}$ lbs.
31HB5	31HB	$\frac{15}{32}$ " x $\frac{7}{8}$ "	12	7 $\frac{1}{2}$ lbs.

### FORGED ADJUSTABLE WRENCH



NO. 33

Hot Drop Forged — Special Steel Sliding Jaw.


33	9" Adjustable—Blued Finish	6	10 lbs.
330	9" Adjustable—Plated Finish	6	10 lbs.





## DROP FORGED STEEL PLIERS

Popular Price



Hot Drop Forged for Durability — Milled Openings.

### NO. 136—Slip Joint

6½" Combination — Plated Finish.

Std. Pack—12

Wt./doz. 4½ lbs.

### No. 134—Slip Joint

6½" Combination — Blued Finish.

Std. Pack—12

Wt./doz. 4½ lbs.




### NO. 149—Long Nose

Cutting Jaw — Polished Long Nose — Red Enameled Grip.  
6½" Long Nose.

Std. Pack—12

Wt./doz. 3 lbs.

## COPING SAWS AND BLADES



### NO. 101


Plated 6" Frame Complete with One Blade.

Depth of Frame—4½".

Std. Pack—12

Wt./doz. 4 lbs.

6" Loop End blades—Cat. No. 110—Packed 1 gross



### NO. 19

Plated 6½" Frame Complete with One Blade.  
Red Hardwood Handle.

Depth of Frame—4¾"

Std. Pack—12

Wt./doz. 5 lbs.

Pin Type Blades—Cat. No. 200—Packed 1 gross

## NAIL SETS AND CENTER PUNCHES



### NO. 321

Tempered Steel Square Head and Knurled Grip.  
Cannot Roll — Natural Finish.

Catalog Number	Description	Std. Pack	Wt. Doz.
321A	1/32" Cant Roll Set	12	1 lb.
321B	2/32" Cant Roll Set	12	1 lb.
321C	3/32" Cant Roll Set	12	1 lb.
321D	4/32" Cant Roll Set	12	1 lb.
321	Asst.—3 each of 4 sizes	1 ass't.	1 lb.
325	Cant Roll Center Punch	12	1 lb.

## PLIERS, NAIL SETS, SAWS HEX KEYS

## BRIDGEPORT INDUSTRIAL LINE

"SUPERHARD" CHROME MOLY STEEL

Manufactured to BRIDGEPORT mechanics quality standards.  
The finest — UNCONDITIONALLY GUARANTEED.


Made of special chrome moly steels in both long and short arm styles. All BRIDGEPORT brand hex keys are black finish — processed to give a "SUPERHARD" and long wearing key.

### 9 PC. LONG ARM SET

BLACK FINISH  
SUPER HARD ALLOY

This set packaged in bright green — High sales appeal — Two snap plastic pouch. A must for Refrigeration and Oil Burner repairs.

Hex Sizes 5/64" to 3/8"  
Std. Pack 50 sets/carton  
Wgt. 33 lbs./carton



No. 9PXL


### OPEN STOCK

Size	Short Arm	Long Arm	Socket Set Screws	Socket Head Cap Screws	Flat Head Cap Screws	Std. Pack	Wt. per Box	Short Arm	Long Arm
.050	Yes	No	#3, 4	#0, 1	—	100	1/4 lb.	—	—
1/16"	Yes	No	#5, 6	#2	#4	100	1/4 lb.	—	—
3/64"	Yes	Yes	#8	#3, 4	#5, 6	100	1/2 lb.	3/4 lb.	—
1/32"	Yes	Yes	#10	#5, 6	#8	100	3/4 lb.	1 lb.	—
1/8"	Yes	Yes	1/4"	#8	#10	100	1 1/4 lbs.	2 lbs.	—
5/32"	Yes	Yes	5/16"	#10	1/4"	100	2 1/4 lbs.	3 1/4 lbs.	—
3/16"	Yes	Yes	3/8"	1/4"	5/16"	100	3 1/4 lbs.	5 lbs.	—
1/2"	Yes	Yes	1/2"	5/16"	3/8"	50	2 1/2 lbs.	3 1/2 lbs.	—
3/4"	Yes	Yes	3/4"	3/8"	1/2"	50	3 1/2 lbs.	4 1/2 lbs.	—
5/16"	Yes	Yes	5/8"	1/2"	5/8"	25	3 1/4 lbs.	4 1/2 lbs.	—
3/8"	Yes	Yes	3/4"	1/2"	5/8"	25	5 lbs.	6 3/4 lbs.	—
1/2"	Yes	Yes	7/8"	3/8"	—	25	10 lbs.	17 lbs.	—

Short Arm Style will be shipped unless otherwise specified.



### ADJUSTABLE HEX KEY TOOL



A NEW ADJUSTABLE TOOL—Specially designed for the electronics industry. The hex key blade adjusts from 1/2" to 5 1/2" so that the hex key tool can be set for the specific job to be done. Use different tool for each size key needed. Saves hours—cuts out lost time caused by changing blades or looking for loose blades.

Hex Key Size	Complete Tool		Replacement Blades	
	Catalog Number	Wt. Doz.	Catalog Number	Wt. Doz.
5/64"	2591	4 1/2 lbs.	2591K	1/2 lb.
3/32"	2592	4 1/2 lbs.	2592K	1/2 lb.
1/8"	2593	4 1/2 lbs.	2593K	1/2 lb.
5/32"	2594	4 1/2 lbs.	2594K	1/2 lb.
3/16"	2595	4 1/2 lbs.	2595K	1/2 lb.
1/2"	2596	5 lbs.	2596K	3/4 lb.
3/4"	2597	5 lbs.	2597K	3/4 lb.
5/16"	2598	5 lbs.	2598K	3/4 lb.

Std. Pack—6 Tools per box

Std. Pack—12 keys per box

Extra 1/16" right angle adjusting keys available—catalog number 2580K

Std. Pack—12 per box


Wt./doz.—1/4 lb.





## AXES, HATCHETS BOX OPENING TOOLS RIPPING TOOLS

### TOMAHAWK TOOL



NO. 99

Versatile tool of many uses. Hatchet, hammer, pry bar, box chisel, nail puller, fence tightener. Forged from one piece of steel — Unbreakable. Comfortable hardwood grips are securely riveted. Length 12½". Baked red enamel finish.

Std. Pack—Individually boxed

Wt./each 1½ lbs.

### FORGED STEEL CRATE OPENERS



Hot Drop Forged — Fully Tempered. Special non-slip head — polished claw.

Catalog Number	Description	Std. Pack	Wt. Doz.
70	9" Blued Finish	6	10 ½ lbs.
82	9" Plated Finish	6	11 lbs.
Federal Spec. GGG-O-599A. Size MWL, type 1.			
76	6½" Blued Finish	6	6 lbs.
78	6½" Plated Finish	6	6 lbs.
96	8" Blued Finish	6	8 lbs.
98	8" Plated Finish	6	8 lbs.

### FORGED TIRE TOOL



NO. 275

Hot Drop Forged — Fully Tempered.  
All Edges Smooth.

Std. Pack—1 doz.

Wt./doz. 16 lbs.

### FLAT BOX CHISEL




NO. 21

Forged Steel — Polished Claw.

Federal Spec. GGG-O-599A type 2.

Std. Pack—6

Wt./doz. 15 lbs.




### CUSHION GRIP BELT AX

Drop forged — ALL-IN-ONE-PIECE. Head cannot loosen or come off. Unbreakable handle. Scientifically tempered to insure durable cutting edge. Contoured Neoprene Cushion Grip. Safety red-baked enamel finish — length 12½".

Catalog Number	Description	Std. Pack	Wt. Each
424	Ax and Sheath	6	2¼ lbs.
425	Ax	6	2 lbs.
425C*	Belt Ax only with lanyard hole in handle. Coast Guard approved	6	2 lbs.
426	Sheath only	1	¼ lb.
428	Ax and Sheath Individually Boxed	1	2½ lbs.

\*Federal Specification GGG-A-926B type 1, class 1, design E, style 2.

### NAIL PULLER



NO. 18

NEW RUBBER GRIP for fast work — Sure handling. Compact design with full leverage. Drop forged, tempered steel. Red baked enamel finish with polished claw. BRIDGEPORT Mechanics Quality.

Length 11"

Std. Pack—6

Wt./doz. 17 lbs.

### FORGED RIPPING TOOLS

#### RIPPING BAR



NO. 17

Lightweight, tough-tempered, forged steel. New improved goose-neck. Gives powerful leverage. Beveled chisel—19½" x 5/8" — Red baked enamel finish. BRIDGEPORT Mechanics Quality.

Std. Pack—6

Wt./doz. 21 lbs.

#### ANGLED CHISEL PRY



NO. 22

Tough tempered, hot drop forged steel with half polished claw. 18" x 3/4" Hex. BRIDGEPORT Mechanics Quality.

Std. Pack—6

Wt./doz. 24 lbs.

#### 90° CHISEL PRY



NO. 23

Tough tempered, hot drop forged steel with half polished claw. BRIDGEPORT Mechanics Quality.

Std. Pack—6

Wt./doz. 27 lbs.





## NAIL PULLERS




**NO. 101—20 INCH**

Crescent Giant Nail Puller. Equipped with Forged Box jaws and strap cutter. Aluminum and Blue finish. Rustproof jaw.

Std. Pack—12

Wt./doz. 62 lbs.



**NO. 56 — 18 inch**

Box-joint forged tempered jaws — Black enameled finish.

Federal Spec. GGG-P-791B type 1, class 1, box-joint.

Std. Pack—12

Wt./doz. 45 lbs.



**NO. 64 — 18 INCH**

Forged tempered steel jaws — Natural finish, enameled handle.


Federal Spec. GGG-P-791B type 1, class 2, side joint.

Std. Pack—12

Wt./doz. 45 lbs.

**REPLACEMENT PARTS** — order by part name and nail puller catalog number: Handle with stop pin — Long jaw — Short jaw — Long and short jaw assembly.

## SCRATCH AWL



**NO. 2245**

Bolstered heavy duty blade with patented CUSHION GRIP handle.

Std. Pack 6/box

Wt./doz. 21½ lbs.

## AWL, PUTTY KNIVES SCRAPERS, TROWELS NAIL PULLERS


### TROWELS




**NO. 160**



**NO. 170**




**NO. 180**



**NO. 181**


### PUTTY KNIVES AND SCRAPERS



**NO. 125**



**NO. 129**



**NO. 135**



**NO. 142**

Catalog Number	Description	Blade Size	Std. Pack	Wt. Doz.
<b>Mahogany Finish Hardwood Handles</b>				
160	Pointing Trowel	5½"	12	3 lbs.
170	Brick Trowel	10"	6	6¼ lbs.
180	Plastering Trowel	10"	6	10¼ lbs.
181	Mastic Spreader	10"	6	10¼ lbs.
129	Scraping Knife	2¾"	12	2¼ lbs.
135	Putty Knife	1¾"	12	1¼ lbs.
<b>Natural Finish Hardwood Handles</b>				
125	P. B. Scraper	3½"	12	4 lbs.
<b>Red Steel Handles</b>				
142	Putty Knife	1¾"	12	2 lbs.

All the above tools have tempered steel blades.





**BRIDGEPORT HARDWARE  
MFG. CORP.**

Subsidiary of  
CRESCENT NIAGARA CORPORATION  
Bridgeport, Connecticut 06605  
U. S. A.

65

PRINTED IN U.S.A.